

DESIGN FIRST.

Ateli
er

fit interiors

fit interiors — designed and produced in italy

Index

ANB01-19	4
ANB02-19	5
ANB023	6
ANB03-19	7
ATR02-19	8
ANB05-19	9
ANB11-19	10
ANB12-19	11

Handles	12
Numbers	14
Locks	16
Accessories	19
Additions	21

Atelier

Single column lockers

Options

- Door in MFC panel in various finishes (see The Swatch Book)
- Internal structure in two colors: anthracite or cashmere

Doors

Finishes



Structure

Finishes



Included equipment



Padlock system



Number made of PVC



Braked hinges




Plastic hanger

Key for optionals on request



• Handles




• Numbers
(replacing standard equipment)



• Locks
(replacing standard equipment)



• Storage basket




• Document holder




• Mirror




• USB socket




• Shoe rack




• Oval bar for coat hangers
(replacing standard equipment)



• Double hook
(replacing standard equipment)



• Anti-theft hanger
(replacing standard equipment)



ANB01-19

Single column 1-tier locker


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Two coat hangers for compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions

W 450 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optional upon request





ANB02-19

Single column 2-tiers locker


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Two coat hangers for compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions

W 450 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optional upon request





ANB023

Single column 3-tiers locker


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Triple hook
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions

W 450 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optional upon request





ANB03-19

Single column locker with 2 L-shaped doors


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Two coat hangers for compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions

W 450 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optional upon request





ATR02-19

Single column locker with 2 trapezoidal doors

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar and hanger
- Two coat hangers for compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system


Dimensions

W 450 mm / D 550 mm / H 2100 mm

Height with skirting board 2170 mm

Optional upon request





ANB05-19

Single column 5-tiers locker


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system


Dimensions

W 450 mm / D 550 mm / H 2100 mm

Height with skirting board 2170 mm

Optional upon request





ANB11-19

Single column 1-tier locker, bench version


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Two coat hangers for compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions

W 450 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optional upon request





ANB12-19

Single column 2-tiers locker, bench version

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Two coat hangers for compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions

W 450 mm / D 550 mm / H 2100 mm

Height with skirting board 2170 mm

Optional upon request



(*)

(*) lower compartment excluded

Handles



HAN 01A
Zamak handle, polished chrome
Dimensions
W 10 mm / D 30 mm / H 106 mm



HAN 01B
Zamak handle, matt chrome
Dimensions
W 10 mm / D 30 mm / H 106 mm



HAN 02
Zamak knob, polished chrome
Dimensions
ø 20 mm / D 25 mm



HAN 03
Recessed handle in zamak, polished chrome
Dimensions
W 42 mm / D 12 mm / H 106 mm



HAN 04
Zamak handle, titanium
Dimensions
W 50 mm / D 25,7 mm / H 80 mm



HAN 05A
Zamak handle, polished chrome
Dimensions
W 22 mm / D 18 mm / H 158 mm



HAN 05B
Zamak handle, white
Dimensions
W 22 mm / D 18 mm / H 158 mm



HAN 05C
Zamak handle, anthracite
Dimensions
W 22 mm / D 18 mm / H 158 mm



HAN 06
Aluminium handle, polished anodised
Dimensions
W 16mm / D 30 mm / H 198 mm



HAN 07

Zamak handle, polished chrome

Dimensions

W 69 mm / D 26 mm / H 69 mm



HAN 08A

Plastic knob, polished silver

Dimensions

ø 35 mm / D 28 mm



HAN 08B

Plastic knob, matt silver

Dimensions

ø 35 mm / D 28 mm

Numbers



ACCIND

Perforated number on a stainless steel plate

- Fixing with screws
- Replacing standard equipment

Dimensions

W 62 mm / H 20 mm



ACCTAI

Number engraved on a stainless steel plate

- Fixing with screws
- Replacing standard equipment

Dimensions

W 135 mm / H 40 mm



ACCRES1

Large resin-coated adhesive number, yellow and black

- With black Fit Interiors logo
- Replacing standard equipment

Dimensions

W 90 mm / H 90 mm



ACCRES2

Large resin-coated adhesive number, black and white

- With red Fit Interiors logo
- Replacing standard equipment

Dimensions

W 90 mm / H 90 mm



ACCRES3

Large resin-coated adhesive number, red and white

- With black Fit Interiors logo
- Replacing standard equipment

Dimensions

W 90 mm / H 90 mm

1

ACCNUI-M150**Steel number, single digit**

- Medium font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 150 mm

1

ACCNUI-M100**Steel number, single digit**

- Medium font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 100 mm

1

ACCNUI-M70**Steel number, single digit**

- Medium font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 70 mm

1

ACCNUI-C230**Steel number, single digit**

- Compressed font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 230 mm

1

ACCNUI-C150**Steel number, single digit**

- Compressed font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 150 mm

1

ACCNUI-C100**Steel number, single digit**

- Compressed font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 100 mm

	door width	H 230 mm	H 150 mm	H 100 mm	H 70 mm
Code			ACCNUI-M150*	ACCNUI-M100	ACCNUI-M70
Typeface	450 mm	•	24	024	024
12345	400 mm	•	24	024	024
67890	300 mm	•	•	024	024
FF Medium					
Code		ACCNUI-C230	ACCNUI-C150	ACCNUI-C100	
Typeface	450 mm	024	024	024	•
12345	400 mm	024	024	024	•
67890	300 mm	•	024	024	•
FF Compressed					

* max two-digit numbers

Locks

Mechanical combination lock



ACCHIAVE

Key lock

- 2 keys included plus numbered key fob
- Replacing standard equipment



ACCDKDI

Mechanical combination lock DIAL

- Replacing standard equipment



ACCCOMBI

Mechanical combination lock with handle

- Combi Lock
- Replacing standard equipment



ACCKEYLESS

Mechanical combination lock P1

- Satin nickel
- Replacing standard equipment



ACCKEYLESS1

Mechanical combination lock P1

- Satin gold
- Replacing standard equipment



ACCKEYLESS2

Mechanical combination lock P1

- Matte black
- Replacing standard equipment



ACCKEYLESS3

Mechanical combination lock P1

- Matte white
- Replacing standard equipment

Digital lock with battery



ACCAXSTD

Axis standard with integrated handle

- Digilock digital lock
- Replacing standard equipment



ACCAXVER

Axis vertical with integrated handle

- Digilock digital lock
- Replacing standard equipment



ACCDLKN

Next Cue with keypad

- Digilock digital lock
- Replacing standard equipment



ACCDKSO

Sola3 with handle

- Digilock digital/mechanical lock
- Replacing standard equipment

Proximity lock



ACCGAT

Mod. 7010

- Batteries and boltset included
- Replacing standard equipment



ACCDLKNRFID

Next Cue

- Digilock proximity lock
- Replacing standard equipment



ACCAXSTDRFID

Axis standard with integrated handle

- Digilock proximity lock
- Replacing standard equipment



ACCAXVERRFID

Axis vertical with integrated handle

- Digilock proximity lock
- Replacing standard equipment



ACCOJPRO

OTS Basic

- Ojmar RFID lock
- With battery included
- Replacing standard equipment

Accessories



ACCES

Stainless steel storage basket, mounted on the door

Dimensions

W 200 mm / D 80 mm / H 80 mm



ACCDOC

Plexiglas document holder for A5 sheet to be fixed to the door

Dimensions

W 250 mm / H 225 mm



ACCSP

Large interior mirror for full door and 2 door locker

Dimensions

W 240 mm / H 400 mm



ACCSP15

Small interior mirror for locker

Dimensions

W 150 mm / H 240 mm



ACCUSB

Built-in USB socket

• 5V complete with power supply 100-240 V; 50-60 Hz - IP20



ACCPIQ

Internal squared shoe compartment

Dimensions

W 270 mm / D (compartment) / H 198 mm



ACCPI

Internal shoe compartment with rounded side

Dimensions

W 270 mm / D (compartment) / H 330 mm



ACCPIA

Internal shoe shelf

Dimensions

W (compartment) / D (compartment)

**ACCTOV**

Chrome-plated oval metal clothes rail

- Replacing standard equipment

Dimensions

W up to 450 mm / D 15 mm / H 30 mm

**ACCHOOK1**

Coat hook made of polished aluminium, consisting of two hangers

- Replacing standard equipment
- Mounted on hinge side

Dimensions

W 60 mm / D 30 mm / H 50 mm

**ACCHOOK2**

Set of 2 polished aluminium coat hooks, each consisting of two hangers

- Replacing standard equipment

Dimensions

W 60 mm / D 30 mm / H 50 mm

**AV00001**

Anti-theft wooden hanger complete with ring

**AV00002**

Anti-theft plastic hanger complete with ring

Additions



ACCTAM

Single side panel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

Dimensions

W 550 mm / H 2066 mm



ACCTAMD

Double side panel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

Dimensions

L 1100 mm / H 2066 mm



ACCTAML-24V

Single side panel with LED channel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- LED IP20, color to be chosen among:
 - (C) 6000 K cold light / 4.8W per meter, 24V
 - (N) 4000 K natural light / 4.8W per meter, 24V
 - (W) 3000 K warm light / 4.8W per meter, 24V

Dimensions

W 610 mm / H 2092 mm



ACCTAMD-24V

Double side panel with LED channel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- LED IP20, color to be chosen among:
 - (C) 6000 K cold light / 4.8W per meter, 24V
 - (N) 4000 K natural light / 4.8W per meter, 24V
 - (W) 3000 K warm light / 4.8W per meter, 24V

Dimensions

W 1220 mm / H 2092 mm



ACCTAMXL

Single side panel for lockers with top

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

Dimensions

W 610 mm / H 2092 mm



ACCTAMD-24V

Double side panel for lockers with top

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

Dimensions

W 1220 mm / H 2092 mm

**ACCTAMSP****Single side panel with mirror**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- mirror size 450×1972 mm

Dimensions

W 550 mm / H 2072 mm

**ACCTAMSD****Double side panel with mirror**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- mirror size 1000×1972 mm

Dimensions

W 1100 mm / H 2072 mm

**SPACE1****Single end side panel in laminate, rounded above and below****Dimensions**

W 550 mm / D 118 mm / H 2070 mm

**SPACE2****Rounded panel for internal corner in laminate****Dimensions**

W 118 (+112) mm / D 118 (+112) mm / H 2070 mm

**SPACE3****Rounded panel for external corner in laminate****Dimensions**

W 550 mm / D 118 mm / H 2070 mm

**ACCTOS****Single locker top**

- 18 mm thick MFC panels
 - ABS edging with polyurethane glue
- Projection 60 mm

**ACCTOP****Double locker top**

- 18 mm thick MFC panels
 - ABS edging with polyurethane glue
- Projection 60 mm

**ACCTSL-24V****Single locker top with integrated LED channel**

- 18 mm thick MFC panels
 - ABS edging with polyurethane glue
 - LED IP20, color to be chosen among:
 - (C) 6000 K cold light / 4.8W per meter, 24V
 - (N) 4000 K natural light / 4.8W per meter, 24V
 - (W) 3000 K warm light / 4.8W per meter, 24V
- Projection 60 mm

**ACCTPL-24V****Double locker top with integrated LED channel**

- 18 mm thick MFC panels
 - ABS edging with polyurethane glue
 - LED IP20, color to be chosen among:
 - (C) 6000 K cold light / 4.8W per meter, 24V
 - (N) 4000 K natural light / 4.8W per meter, 24V
 - (W) 3000 K warm light / 4.8W per meter, 24V
- Projection 60 mm

**ACCVEL20****Upper veil for locker, up to 200 mm H**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

**ACCVEL50****Upper veil for locker, from 200 to 500 mm H**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

**ADELED-24V****Adhesive LED to put under the locker**

- LED IP54, color to be chosen among:
 - (C) 6000 K cold light / 4.8W per meter, 24V
 - (N) 4000 K natural light / 4.8W per meter, 24V
 - (W) 3000 K warm light / 4.8W per meter, 24V

**ACCZARSG**

Skirting board in ABS for single locker, satin aluminum finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARDG**

Skirting board in ABS for double locker, satin aluminum finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARSB**

Skirting board in ABS for single locker, white finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARDB**

Skirting board in ABS for double locker, white finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARSN**

Skirting board in ABS for single locker, black finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARDN**

Skirting board in ABS for double locker, black finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

follow us



**fit
interiors**

**furniture for gyms,
health and golf clubs,
spa&wellness, hotel,
medical and corporate**

visit www.fitinteriors.com