

DESIGN FIRST.

Ne

xxt

—

**fit interiors**

fit interiors — designed and produced in italy

# Index

---

<b>NEXT31</b>	<b>4</b>
<b>NEXT41</b>	<b>5</b>
<b>NEXT32</b>	<b>6</b>
<b>NEXT42</b>	<b>7</b>
<b>NEXT323</b>	<b>8</b>
<b>NEXT426</b>	<b>9</b>

---

<b>Handles</b>	<b>10</b>
<b>Numbers</b>	<b>12</b>
<b>Locks</b>	<b>14</b>
<b>Accessories</b>	<b>16</b>
<b>Additions</b>	<b>18</b>

# Next

Single and double column lockers

## Options

- Door in MFC panel in various finishes
- Internal structure in two colors: anthracite or cashmere

### Door

#### Finishes



454  
Rose gold



M4522  
Stainless  
steel



M2052  
Copper

### Structure

#### Finishes



Anthracite



Cashmere

## Included equipment



Padlock system



Steel plate  
engraved with  
Fit Interiors logo



Braked hinges

## Key for optionals on request



- Handles



- Numbers  
*(replacing standard equipment)*



- Locks  
*(proximity lock excluded.  
Replacing standard equipment)*



- Storage basket



- Document holder



- Mirror



- USB socket



- Shoe rack



- Oval bar for coat hangers  
*(replacing standard equipment)*




- Double hook  
*(replacing standard equipment)*



- Plastic hanger



- Anti-theft hanger



**NEXT31**

**Single column 1-tier locker**


- Structure and door made of 18 mm thick MFC panels
- Door covered in metallic laminate
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Metal door plate (with sticker on the back) with number and Fit Interiors logo
- Padlock system

**Dimensions**

W 400 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**NEXT41**

**Double column 1-tier locker**


- Structure and door made of 18 mm thick MFC panels
- Door covered in metallic laminate
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Metal door plate (with sticker on the back) with number and Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**NEXT32**

**Single column 2-tiers locker**


- Structure and door made of 18 mm thick MFC panels
- Door covered in metallic laminate
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Metal door plate (with sticker on the back) with number and Fit Interiors logo
- Padlock system

**Dimensions**

W 400 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**NEXT42**

**Double column 2-tiers locker, 4 doors**

- Structure and door made of 18 mm thick MFC panels
- Door covered in metallic laminate
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Metal door plate (with sticker on the back) with number and Fit Interiors logo
- Padlock system


**Dimensions**

W 800 mm / D 550 mm / H 2100 mm

Height with skirting board 2170 mm

**Optional upon request**





**NEXT323**


**Single column 3-tiers locker**

- Structure and door made of 18 mm thick MFC panels
- Door covered in metallic laminate
- ABS edging with polyurethane glue
- Ventilation grids
- Triple hook
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Metal door plate (with sticker on the back) with number and Fit Interiors logo
- Padlock system


**Dimensions**

W 400 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**







**NEXT426**

**Double column 3-tiers locker 6 doors**

- Structure and door made of 18 mm thick MFC panels
- Door covered in metallic laminate
- ABS edging with polyurethane glue
- Ventilation grids
- Triple hook
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Metal door plate (with sticker on the back) with number and Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm

Height with skirting board 2170 mm

**Optional upon request**



# Handles



**HAN 01A**  
Zamak handle, polished chrome  
Dimensions  
W 10 mm / D 30 mm / H 106 mm



**HAN 01B**  
Zamak handle, matt chrome  
Dimensions  
W 10 mm / D 30 mm / H 106 mm



**HAN 02**  
Zamak knob, polished chrome  
Dimensions  
ø 20 mm / D 25 mm



**HAN 03**  
Recessed handle in zamak, polished chrome  
Dimensions  
W 42 mm / D 12 mm / H 106 mm



**HAN 04**  
Zamak handle, titanium  
Dimensions  
W 50 mm / D 25,7 mm / H 80 mm



**HAN 05A**  
Zamak handle, polished chrome  
Dimensions  
W 22 mm / D 18 mm / H 158 mm



**HAN 05B**  
Zamak handle, white  
Dimensions  
W 22 mm / D 18 mm / H 158 mm



**HAN 05C**  
Zamak handle, anthracite  
Dimensions  
W 22 mm / D 18 mm / H 158 mm



**HAN 06**  
Aluminium handle, polished anodised  
Dimensions  
W 16mm / D 30 mm / H 198 mm



---

**HAN 07**

Zamak handle, polished chrome

**Dimensions**

W 69 mm / D 26 mm / H 69 mm



---

**HAN 08A**

Plastic knob, polished silver

**Dimensions**

ø 35 mm / D 28 mm



---

**HAN 08B**

Plastic knob, matt silver

**Dimensions**

ø 35 mm / D 28 mm

# Numbers



## ACCIND

Perforated number on a stainless steel plate

- Fixing with screws
- Replacing standard equipment

### Dimensions

W 62 mm / H 20 mm



## ACCTAI

Number engraved on a stainless steel plate

- Fixing with screws
- Replacing standard equipment

### Dimensions

W 135 mm / H 40 mm



## ACCRES1

Large resin-coated adhesive number, yellow and black

- With black Fit Interiors logo
- Replacing standard equipment

### Dimensions

W 90 mm / H 90 mm



## ACCRES2

Large resin-coated adhesive number, black and white

- With red Fit Interiors logo
- Replacing standard equipment

### Dimensions

W 90 mm / H 90 mm



## ACCRES3

Large resin-coated adhesive number, red and white

- With black Fit Interiors logo
- Replacing standard equipment

### Dimensions

W 90 mm / H 90 mm

# 1

## ACCNUI-M150

Steel number, single digit

- Medium font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 150 mm

# 1

## ACCNUI-M100

Steel number, single digit

- Medium font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 100 mm

# 1

## ACCNUI-M70

Steel number, single digit

- Medium font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 70 mm

# 1

## ACCNUI-C230

Steel number, single digit

- Compressed font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 230 mm

# 1

## ACCNUI-C150

Steel number, single digit

- Compressed font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 150 mm

# 1

## ACCNUI-C100

Steel number, single digit

- Compressed font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 100 mm

	door width	H 230 mm	H 150 mm	H 100 mm	H 70 mm
Code			ACCNUI-M150*	ACCNUI-M100	ACCNUI-M70
Typeface <b>12345</b> <b>67890</b>	450 mm	•	<b>24</b>	<b>024</b>	<b>024</b>
	400 mm	•	<b>24</b>	<b>024</b>	<b>024</b>
FF Medium	300 mm	•	•	<b>024</b>	<b>024</b>
Code		ACCNUI-C230	ACCNUI-C150	ACCNUI-C100	
Typeface <b>12345</b> <b>67890</b>	450 mm	<b>024</b>	<b>024</b>	<b>024</b>	•
	400 mm	<b>024</b>	<b>024</b>	<b>024</b>	•
FF Compressed	300 mm	•	<b>024</b>	<b>024</b>	•

\* max two-digit numbers

# Locks

## Mechanical combination lock



### ACCHIAVE

#### Key lock

- 2 keys included plus numbered key fob
- Replacing standard equipment



### ACCDKDI

#### Mechanical combination lock DIAL

- Replacing standard equipment



### ACCCOMBI

#### Mechanical combination lock with handle

- Combi Lock
- Replacing standard equipment



### ACCKEYLESS

#### Mechanical combination lock P1

- Satin nickel
- Replacing standard equipment



### ACCKEYLESS1

#### Mechanical combination lock P1

- Satin gold
- Replacing standard equipment



### ACCKEYLESS2

#### Mechanical combination lock P1

- Matte black
- Replacing standard equipment



### ACCKEYLESS3

#### Mechanical combination lock P1

- Matte white
- Replacing standard equipment

## Digital lock with battery



### **ACCAXSTD**

Axis standard with integrated handle

- Digilock digital lock
- Replacing standard equipment



### **ACCAXVER**

Axis vertical with integrated handle

- Digilock digital lock
- Replacing standard equipment



### **ACCDLKN**

Next Cue with keypad

- Digilock digital lock
- Replacing standard equipment



### **ACCDKSO**

Sola3 with handle

- Digilock digital/mechanical lock
- Replacing standard equipment

# Accessories



## ACCDOC

Plexiglas document holder for A5 sheet to be fixed to the door

### Dimensions

W 250 mm / H 225 mm



## ACCSP

Large interior mirror for full door and 2 door locker

### Dimensions

W 240 mm / H 400 mm



## ACCSP15

Small interior mirror for locker

### Dimensions

W 150 mm / H 240 mm



## ACCTOV

Chrome-plated oval metal clothes rail

- Replacing standard equipment

### Dimensions

W up to 450 mm / D 15 mm / H 30 mm



## AV00001

Anti-theft wooden hanger complete with ring



## AV00002

Anti-theft plastic hanger complete with ring



## ACCAPP

Plastic hanger



## ACCHOOK1

Coat hook made of polished aluminium, consisting of two hangers

- Replacing standard equipment
- Mounted on hinge side

### Dimensions

W 60 mm / D 30 mm / H 50 mm



## ACCHOOK2

Set of 2 polished aluminium coat hooks, each consisting of two hangers

- Replacing standard equipment

### Dimensions

W 60 mm / D 30 mm / H 50 mm






---

**ACCES**  
 Stainless steel storage basket, mounted on the door  
**Dimensions**  
 W 200 mm / D 80 mm / H 80 mm




---

**ACCUSB**  
 Built-in USB socket  
 • 5V complete with power supply 100-240 V; 50-60 Hz - IP20




---

**ACCPIQ**  
 Internal squared shoe compartment  
**Dimensions**  
 W 270 mm / D (compartment) / H 198 mm




---

**ACCPIR**  
 Internal shoe compartment with rounded side  
**Dimensions**  
 W 270 mm / D (compartment) / H 330 mm




---

**ACCPIA**  
 Internal shoe shelf  
**Dimensions**  
 W (compartment) / D (compartment)

# Additions



## ACCTAM

### Single side panel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

### Dimensions

W 550 mm / H 2066 mm



## ACCTAMD

### Double side panel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

### Dimensions

L 1100 mm / H 2066 mm



## ACCTAML-24V

### Single side panel with LED channel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- LED IP20, color to be chosen among:
  - (C) 6000 K cold light / 4.8W per meter, 24V
  - (N) 4000 K natural light / 4.8W per meter, 24V
  - (W) 3000 K warm light / 4.8W per meter, 24V

### Dimensions

W 610 mm / H 2092 mm



## ACCTAMD-24V

### Double side panel with LED channel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- LED IP20, color to be chosen among:
  - (C) 6000 K cold light / 4.8W per meter, 24V
  - (N) 4000 K natural light / 4.8W per meter, 24V
  - (W) 3000 K warm light / 4.8W per meter, 24V

### Dimensions

W 1220 mm / H 2092 mm



## ACCTAMXL

### Single side panel for lockers with top

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

### Dimensions

W 610 mm / H 2092 mm



## ACCTAMDXL

### Double side panel for lockers with top

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

### Dimensions

W 1220 mm / H 2092 mm

**ACCTAMSP****Single side panel with mirror**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- mirror size 450×1972 mm

**Dimensions**

W 550 mm / H 2072 mm

**ACCTAMSD****Double side panel with mirror**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- mirror size 1000×1972 mm

**Dimensions**

W 1100 mm / H 2072 mm

**SPACE1****Single end side panel in laminate, rounded above and below****Dimensions**

W 550 mm / D 118 mm / H 2070 mm

**SPACE2****Rounded panel for internal corner in laminate****Dimensions**

W 118 (+112) mm / D 118 (+112) mm / H 2070 mm

**SPACE3****Rounded panel for external corner in laminate****Dimensions**

W 550 mm / D 118 mm / H 2070 mm

**ACCTOS****Single locker top**

- 18 mm thick MFC panels
  - ABS edging with polyurethane glue
- Projection 60 mm

**ACCTOP****Double locker top**

- 18 mm thick MFC panels
  - ABS edging with polyurethane glue
- Projection 60 mm

**ACCTSL-24V****Single locker top with integrated LED channel**

- 18 mm thick MFC panels
  - ABS edging with polyurethane glue
  - LED IP20, color to be chosen among:
    - (C) 6000 K cold light / 4.8W per meter, 24V
    - (N) 4000 K natural light / 4.8W per meter, 24V
    - (W) 3000 K warm light / 4.8W per meter, 24V
- Projection 60 mm

**ACCTPL-24V****Double locker top with integrated LED channel**

- 18 mm thick MFC panels
  - ABS edging with polyurethane glue
  - LED IP20, color to be chosen among:
    - (C) 6000 K cold light / 4.8W per meter, 24V
    - (N) 4000 K natural light / 4.8W per meter, 24V
    - (W) 3000 K warm light / 4.8W per meter, 24V
- Projection 60 mm

**ACCVEL20****Upper veil for locker, up to 200 mm H**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

**ACCVEL50****Upper veil for locker, from 200 to 500 mm H**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

**ADELED-24V****Adhesive LED to put under the locker**

- LED IP54, color to be chosen among:
  - (C) 6000 K cold light / 4.8W per meter, 24V
  - (N) 4000 K natural light / 4.8W per meter, 24V
  - (W) 3000 K warm light / 4.8W per meter, 24V

**ACCZARSG**

Skirting board in ABS for single locker, satin aluminum finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARDG**

Skirting board in ABS for double locker, satin aluminum finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARSB**

Skirting board in ABS for single locker, white finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARDB**

Skirting board in ABS for double locker, white finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARSN**

Skirting board in ABS for single locker, black finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARDN**

Skirting board in ABS for double locker, black finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

follow us



**fit  
interiors**

**furniture for gyms,  
health and golf clubs,  
spa&wellness, hotel,  
medical and corporate**

visit [www.fitinteriors.com](http://www.fitinteriors.com)