

# fit interiors

DESIGN FIRST.

**fit interiors**

fit interiors — designed and produced in italy

# Polis

Mirror with aluminum frame

## Frame

Aluminium



Black

## Mirror



Silver




### PO8040

Mirror with aluminum frame

- 5 mm mirror thickness
- Safety film backing
- Vertical or horizontal fixing
- CE

#### Dimensions

W 400 mm / D 23 mm / H 800 mm




### PO8060

Mirror with aluminum frame

- 5 mm mirror thickness
- Safety film backing
- Vertical or horizontal fixing
- CE

#### Dimensions

W 600 mm / D 23 mm / H 800 mm




---

**PO8080****Mirror with alluminum frame**

- 5 mm mirror thickness
- Safety film backing
- Vertical or horizontal fixing
- CE

**Dimensions**

W 800 mm / D 23 mm / H 800 mm




---

**PO80100****Mirror with alluminum frame**

- 5 mm mirror thickness
- Safety film backing
- Vertical or horizontal fixing
- CE

**Dimensions**

W 1000 mm / D 23 mm / H 800 mm




---

**PO80120****Mirror with alluminum frame**

- 5 mm mirror thickness
- Safety film backing
- Vertical or horizontal fixing
- CE

**Dimensions**

W 1200 mm / D 23 mm / H 800 mm



**Frame**

Aluminium



Black

**Mirror**



Silver




**PO8040LED**

**LED backlit mirror with aluminum frame**

- 5 mm mirror thickness
- Safety film backing
- Vertical or horizontal fixing
- 360° ambient lighting diffused through 45° Plexiglas
- Illuminated touch ON/OFF sensor switch
- Defogger function
- LED temperature color 4000K
- 220V, CE, IP44

**Dimensions**

W 400 mm / D 23 mm / H 800 mm




**PO8060LED**

**LED backlit mirror with aluminum frame**

- 5 mm mirror thickness
- Safety film backing
- Vertical or horizontal fixing
- 360° ambient lighting diffused through 45° Plexiglas
- Illuminated touch ON/OFF sensor switch
- Defogger function
- LED temperature color 4000K
- 220V, CE, IP44

**Dimensions**

W 600 mm / D 23 mm / H 800 mm




**PO8080LED****LED backlit mirror with aluminum frame**

- 5 mm mirror thickness
- Safety film backing
- Vertical or horizontal fixing
- 360° ambient lighting diffused through 45° Plexiglas
- Illuminated touch ON/OFF sensor switch
- Defogger function
- LED temperature color 4000K
- 220V, CE, IP44

**Dimensions**


W 800 mm / D 23 mm / H 800 mm

**PO80100LED****LED backlit mirror with aluminum frame**

- 5 mm mirror thickness
- Safety film backing
- Vertical or horizontal fixing
- 360° ambient lighting diffused through 45° Plexiglas
- Illuminated touch ON/OFF sensor switch
- Defogger function
- LED temperature color 4000K
- 220V, CE, IP44

**Dimensions**


W 1000 mm / D 23 mm / H 800 mm

**PO80120LED****LED backlit mirror with aluminum frame**

- 5 mm mirror thickness
- Safety film backing
- Vertical or horizontal fixing
- 360° ambient lighting diffused through 45° Plexiglas
- Illuminated touch ON/OFF sensor switch
- Defogger function
- LED temperature color 4000K
- 220V, CE, IP44

**Dimensions**

W 1200 mm / D 23 mm / H 800 mm



follow us



**fit  
interiors**

**furniture for gyms,  
health and golf clubs,  
spa&wellness, hotel,  
medical and corporate**

**visit** [www.fitinteriors.com](http://www.fitinteriors.com)