

DESIGN FIRST.

So lar is |

fit interiors

fit interiors — designed and produced in italy

Solaris

Mirror with plexiglas edge illuminated with LED

Frame

Plexiglass




White

Mirror



Silver




SOLARIS 1

Mirror with plexiglas edge illuminated with LED

- Lighted touch ON/OFF switch
- Mirror thickness 5 mm
- Safety film
- LED temperature 6000K
- 220V, CE, IP44

Dimensions

W 600 mm / D 30 mm / H 600 mm




SOLARIS 2

Mirror with plexiglas edge illuminated with LED

- Lighted touch ON/OFF switch to change colour
- Mirror thickness 5 mm
- Safety film
- Antifog function
- LED temperature Dual White colour 4000K or 6000K
- 220V, CE, IP44
- Horizontal or vertical fastening

Dimensions

W 800 mm / D 30 mm / H 600 mm




SOLARIS 3

Mirror with plexiglas edge illuminated with LED

- Lighted touch ON/OFF switch to change colour
- Mirror thickness 5 mm
- Safety film
- Antifog function
- LED temperature Dual White colour 4000K or 6000K
- 220V, CE, IP44
- Horizontal or vertical fastening

Dimensions

W 1000 mm / D 30 mm / H 600 mm




SOLARIS 4**Mirror with plexiglas edge illuminated with LED**

- Lighted touch ON/OFF switch to change colour
- Mirror thickness 5 mm
- Safety film
- Antifog function
- LED temperature Dual White colour 4000K or 6000K
- 220V, CE, IP44
- Horizontal or vertical fastening

Dimensions


W 1200 mm / D 30 mm / H 600 mm

**SOLARIS 5****Mirror with plexiglas edge illuminated with LED**

- Lighted touch ON/OFF switch to change colour
- Mirror thickness 5 mm
- Safety film
- Antifog function
- LED temperature Dual White colour 4000K or 6000K
- 220V, CE, IP44
- Horizontal or vertical fastening

Dimensions


W 1400 mm / D 30 mm / H 650 mm

**SOLARIS 6****Mirror with plexiglas edge illuminated with LED**

- Lighted touch ON/OFF switch to change colour
- Mirror thickness 5 mm
- Safety film
- Antifog function
- LED temperature Dual White colour 4000K or 6000K
- 220V, CE, IP44
- Horizontal or vertical fastening

Dimensions

W 1600 mm / D 30 mm / H 650 mm



SOLARIS 7**Mirror with plexiglas edge illuminated with LED**

- Lighted touch ON/OFF switch to change colour
- Mirror thickness 5 mm
- Safety film
- Antifog function
- LED temperature Dual White colour 4000K or 6000K
- 220V, CE, IP44
- Horizontal or vertical fastening

Dimensions


W 1800 mm / D 30 mm / H 650 mm

**SOLARIS 8****Mirror with plexiglas edge illuminated with LED**

- Lighted touch ON/OFF switch to change colour
- Mirror thickness 5 mm
- Safety film
- Antifog function
- LED temperature Dual White colour 4000K or 6000K
- 220V, CE, IP44
- Horizontal or vertical fastening

Dimensions


W 400 mm / D 30 mm / H 800 mm

**SOLARIS 9****Mirror with plexiglas edge illuminated with LED**

- Lighted touch ON/OFF switch to change colour
- Mirror thickness 5 mm
- Safety film
- Antifog function
- LED temperature Dual White colour 4000K or 6000K
- 220V, CE, IP44
- Horizontal or vertical fastening

Dimensions

W 1000 mm / D 30 mm / H 700 mm



follow us



**fit
interiors**

**furniture for gyms,
health and golf clubs,
spa&wellness, hotel,
medical and corporate**

visit www.fitinteriors.com