

DESIGN FIRST.

ve

ct

or

—

fit interiors

fit interiors — designed and produced in italy

Vector

Modular counter made of MFC and laminate with LED lighting




Structure

Finishes




Worktop

Finishes



Example compositions



**VEC9076****Front module with worktop and top**

- Worktop height 760 mm
- Structure in MFC
- MFC top, 36 mm thick

Dimensions

W 940 mm / D 750 mm / H 1107 mm

**VEC9090****Front module with worktop and top**

- Worktop height 900 mm
- Structure in MFC
- MFC top, 36 mm thick

Dimensions

W 940 mm / D 750 mm / H 1107 mm

**VEC14076****Front module with worktop and top**

- Worktop height 760 mm
- Structure in MFC
- MFC top, 36 mm thick

Dimensions

W 1390 mm / D 750 mm / H 1107 mm

**VEC14090****Front module with worktop and top**

- Worktop height 900 mm
- Structure in MFC
- MFC top, 36 mm thick

Dimensions

W 1390 mm / D 750 mm / H 1107 mm

**VECANG76****Corner module with worktop and top**

- Worktop height 760 mm
- Structure in MFC
- MFC top, 36 mm thick

Dimensions

W 750 mm / D 750 mm / H 1107 mm

**VECANG90****Corner module with worktop and top**

- Worktop height 900 mm
- Structure in MFC
- MFC top, 36 mm thick

Dimensions

W 750 mm / D 750 mm / H 1107 mm

**VEC90H-20****Consultancy and/or wheelchair accessible desk module**

- Structure in MFC

Dimensions

W 940 mm / D 750 mm / H 760 mm

**VEC140H-20****Consultancy and/or wheelchair accessible desk module**

- Structure in MFC

Dimensions

W 1390 mm / D 750 mm / H 760 mm

**VECSP****End panel**

- MFC panel 36 mm thick

Dimensions

W 300 mm / D 36 mm / H 1100 mm



VECLE90-24V

LED light for module 90, IP20

• Colour to be chosen among:

(C) 6000 K cold white / 4,8W per meter, 24 V

(N) 4000 K natural white / 4,8W per meter, 24 V

(W) 3000 K warm white / 4,8W per meter, 24 V



VECLE140-24V

LED light for module 140, IP20

• Colour to be chosen among:

(C) 6000 K cold white / 4,8W per meter, 24 V

(N) 4000 K natural white / 4,8W per meter, 24 V

(W) 3000 K warm white / 4,8W per meter, 24 V



VECLEANG-24V

LED light for corner module, IP20

• Colour to be chosen among:

(C) 6000 K cold white / 4,8W per meter, 24 V

(N) 4000 K natural white / 4,8W per meter, 24 V

(W) 3000 K warm white / 4,8W per meter, 24 V

ACCAD

Custom logo sticker

• for single module

follow us



**fit
interiors**

**furniture for gyms,
health and golf clubs,
spa&wellness, hotel,
medical and corporate**

visit www.fitinteriors.com