

DESIGN FIRST.

VO

OX

T

I

**fit interiors**

## Caution

### Limitations


In order to meet the minimum safety requirements for the installation of the product and guarantee its correct operation, it is not possible to install the SHOWER BOX and WC BOX if one or more of the following factors are present during installation:

- presence of shower trays installed on the floor, thus limiting the fixing area of the product;
- lack of suitable wall reinforcements, inevitably limiting the correct safe fixing of the product;
- lack of minimum installation height. The product cannot be installed in rooms with a height of less than 240 cm;
- the product cannot be fixed to the floor. The fixing system patented and guaranteed by Fit Interiors foresees the anchorage of the support feet to the floor through the use of plugs and adjustment screws inserted in the floor through a 6 cm deep perforation.

# Voox T

## Modular system for toilet cubicle

- Partition wall fixed to the back wall through AISI 304 steel clamps and clamping screws
- Floor levelling foot, h 10 cm for suspended fixing
- Horizontal junction bar between modules
- Door mounted on AISI 304 steel adjustable hinges.



## Doors and partitions

HPL

411  
White431  
Red879  
Grey850  
Blue**VOOX-TP80****Door in HPL for toilet cubicle**

- HPL laminate
- Thickness 10 mm
- Classified as self-supporting panel with reaction to fire Euro class Bs1-do and formaldehyde release class E1
- With rounded corners and bevelled edges
- Handle, adjustable snap hinges with return, upper crosspiece
- Vacant/engaged lock and stainless steel stop profile
- The specific structural hardware is made of AISI 304 steel

**Dimensions**

W from 800 to 870 mm / H 1995 mm / S 10 mm

**VOOX-TP90****Door in HPL for toilet cubicle**

- HPL laminate
- Thickness 10 mm
- Classified as self-supporting panel with reaction to fire Euro class Bs1-do and formaldehyde release class E1
- With rounded corners and bevelled edges
- Handle, adjustable snap hinges with return, upper crosspiece
- Vacant/engaged lock and stainless steel stop profile
- The specific structural hardware is made of AISI 304 steel

**Dimensions**

W from 871 to 940 mm / H 1995 mm / S 10 mm

**VOOX-TP100****Door in HPL for toilet cubicle**

- HPL laminate
- Thickness 10 mm
- Classified as self-supporting panel with reaction to fire Euro class Bs1-do and formaldehyde release class E1
- With rounded corners and bevelled edges
- Handle, adjustable snap hinges with return, upper crosspiece
- Vacant/engaged lock and stainless steel stop profile
- The specific structural hardware is made of AISI 304 steel

**Dimensions**

W from 941 to 1010 mm / H 1995 mm / S 10 mm

**VOOX-TDT****Terminal partition in HPL with facade for toilet cubicle**

- HPL laminate
- Thickness 10 mm
- Classified as self-supporting panel with reaction to fire Euro class Bs1-do and formaldehyde release class E1
- With rounded corners and bevelled edges
- Floor levelling foot, h 10 cm for suspended fixing
- Anchorage to the back wall using clamps and screws
- The specific structural hardware is made of AISI 304 steel

**Dimensions**

W 100 mm / D 1200 mm / H 1995 mm

**VOOX-TDC****Central partition with facade in HPL for toilet cubicle**

- HPL laminate
- Thickness 10 mm
- Classified as self-supporting panel with reaction to fire Euro class Bs1-do and formaldehyde release class E1
- With rounded corners and bevelled edges
- Floor levelling foot, h 10 cm for suspended fixing
- Anchorage to the back wall using clamps and screws
- The specific structural hardware is made of AISI 304 steel

**Dimensions**

W 190 mm / D 1200 mm / H 1995 mm

**VOOX-TFP****Starting facade in HPL for toilet cubicles**

- HPL laminate
- Thickness 10 mm
- Classified as self-supporting panel with reaction to fire Euro class Bs1-do and formaldehyde release class E1
- With rounded corners and bevelled edges
- Provision for snap hinges
- The specific structural hardware is made of AISI 304 steel

**Dimensions**


W 90 mm / D 10 mm / H 1995 mm

**VOOX-TFC****Closing facade in HPL for toilet cubicle**

- HPL laminate
- Thickness 10 mm
- Classified as self-supporting panel with reaction to fire Euro class Bs1-do and formaldehyde release class E1
- With rounded corners and bevelled edges
- The specific structural hardware is made of AISI 304 steel

**Dimensions**

W 90 mm / D 10 mm / H 1995 mm

**VOOX-SDIS****Disabled toilet cubicle in HPL**

- HPL laminate
- Thickness 10 mm
- Classified as self-supporting panel with reaction to fire Euro class Bs1-do and formaldehyde release class E1
- With rounded corners and bevelled edges
- Floor levelling foot, h 10 cm for suspended fixing
- Door complete with handle, snap hinges with return, upper crosspiece
- Vacant/engaged lock and stainless steel stop profile
- Facade
- Anchorage to the back wall using clamps and screws
- The specific structural hardware is made of AISI 304 steel

**Dimensions**

W 1500 mm / D 1500 mm / H 1995 mm

follow us



**fit  
interiors**

**furniture for gyms,  
health and golf clubs,  
spa&wellness, hotel,  
medical and corporate**

**visit** [www.fitinteriors.com](http://www.fitinteriors.com)