

fit interiors ——— designed and produced in Italy

Futura

DESIGN FIRST.

fit interiors

Index

FUT31-23	4
FUT41-23	5
FUT32-23	6
FUT42-23	7

Locks	8
Accessories	12
Additions	13
Finishes	17

Futura

Single and double column cabinets

Options

- Door in MFC panel in various standard finishes (see The Swatch Book)
- Internal structure in two colors: grey or cashmere

Door

Standard finishes



THE SWATCH BOOK

Structure

Finishes



D143PS30
Grey



6577ST
Cashmere

Handle

Aluminium



Black

Included equipment



Key lock



Chrome-plated
oval clothes rail



Plastic hanger



Braked hinges



Plexiglass number



Black painted
aluminium handle

Key for optionals on request



- Locks
(replacing standard equipment)



- USB socket



- Storage basket




- Shoe rack



- Document holder



- Mirror



FUT31-23

Single column 1-tier locker


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Two coat hangers for compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Painted aluminum handle, black colour
- Three-digit plexiglas number 10 mm thick
- Keylocks (with 2 keys + numbered locker key wrist strap)

Dimensions

W 400 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optional upon request





FUT41-23

Double column 1-tier locker, 2 doors


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Two coat hangers for compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Painted aluminum handle, black colour
- Three-digit plexiglas number 10 mm thick
- Keylocks (with 2 keys + numbered locker key wrist strap)

Dimensions

W 800 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optional upon request





FUT32-23

Single column 2-tiers locker


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Two coat hangers for compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Painted aluminum handle, black colour
- Three-digit plexiglas number 10 mm thick
- Keylocks (with 2 keys + numbered locker key wrist strap)

Dimensions

W 400 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optional upon request





FUT42-23

Double column 2-tiers locker, 4 doors

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Two coat hangers for compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Painted aluminum handle, black colour
- Three-digit plexiglas number 10 mm thick
- Keylocks (with 2 keys + numbered locker key wrist strap)

Dimensions

W 800 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optional upon request



Locks

Mechanical combination lock



ACCHIAVE

Key lock

- 2 keys included plus numbered key fob
- Replacing standard equipment



ACCKEYLESS

Mechanical combination lock P1

- Satin nickel
- Replacing standard equipment



ACCKEYLESS1

Mechanical combination lock P1

- Satin gold
- Replacing standard equipment



ACCKEYLESS2

Mechanical combination lock P1

- Matte black
- Replacing standard equipment



ACCKEYLESS3

Mechanical combination lock P1

- Matte white
- Replacing standard equipment

Digital lock with battery



ACCASP6GNAR

Aspire 6G Narrow without handle

- Digilock digital lock 6G
- Brushed nickel color
- Replacing standard equipment



ACCASP6GNARWH

Aspire 6G Narrow with handle

- Digilock digital lock 6G
- Brushed nickel color
- Replacing standard equipment



ACCASP6GSTD

Aspire 6G Standard without handle

- Digilock digital lock 6G
- Brushed nickel color
- Replacing standard equipment



ACCASP6GSTDWH

Aspire 6G Standard with handle

- Digilock digital lock 6G
- Brushed nickel color
- Replacing standard equipment



ACCDKSO

Next Sola3 4G with handle

- Digilock digital/mechanical lock
- Brushed nickel color
- Replacing standard equipment

Digital lock with battery



ACCOJOCSMAG

OCS Smart Graphite without handle

- Dual technology: Bluetooth + keypad
- Graphite color
- Replacing standard equipment



ACCOJOCSMAGH

OCS Smart Graphite with handle

- Dual technology: Bluetooth + keypad
- Graphite color
- Replacing standard equipment



ACCOJOCSMAS

OCS Smart Silver without handle

- Dual technology: Bluetooth + keypad
- Silver color
- Replacing standard equipment



ACCOJOCSMASH

OCS Smart Silver with handle

- Dual technology: Bluetooth + keypad
- Silver color
- Replacing standard equipment



ACCOJOCSMAW

OCS Smart White without handle

- Dual technology: Bluetooth + keypad
- White color
- Replacing standard equipment



ACCOJOCSMAWH

OCS Smart White with handle

- Dual technology: Bluetooth + keypad
- White color
- Replacing standard equipment

Proximity lock



ACCOJPROA

OTS Basic with signal booster

- Ojmar RFID lock
- signal booster
- with battery included
- replacing standard equipment



ACCOTS20A

OTS 20 with signal booster

- Ojmar proximity lock
- signal booster
- RFID lock
- no cable
- no battery
- no maintenance
- black finish
- replacing standard equipment



ACCOTSPULA

OTS Pulse with signal booster

- Ojmar proximity lock
- signal booster
- battery included
- black finish
- replacing standard equipment



ACCASPSTDRFID

Aspire Standard Body RFID with handle

- Digilock proximity lock
- black finish
- visual and acoustic indicators
- ambidextrous
- vertical body
- replacing standard equipment



ACCASPVERRFID

Aspire Narrow Body RFID with handle

- Digilock proximity lock
- black finish
- visual and acoustic indicators
- ambidextrous
- vertical body
- replacing standard equipment

Accessories



ACCES

Stainless steel storage basket, mounted on the door

Dimensions

W 200 mm / D 80 mm / H 80 mm



ACCDOC

Plexiglas document holder for A5 sheet to be fixed to the door

Dimensions

W 250 mm / H 225 mm



ACCSP

Large interior mirror for full door and 2 door locker

Dimensions

W 240 mm / H 400 mm



ACCSP15

Small interior mirror for locker

Dimensions

W 150 mm / H 240 mm



ACCUSB

Built-in USB socket

- 5V complete with power supply 100-240 V; 50-60 Hz - IP20



ACCPIQ

Internal squared shoe compartment

Dimensions

W 270 mm / D (compartment) / H 198 mm



ACCPIA

Internal shoe shelf

Dimensions

W (compartment) / D (compartment)

Additions

Electrical parts and led sources are not suitable in presence of sensors, including sensor of movement



ACCTAM

Single side panel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

Dimensions

W 550 mm / H 2066 mm



ACCTAMD

Double side panel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

Dimensions

L 1100 mm / H 2066 mm



ACCTAMHS

Single side panel - flush to body

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

Dimensions

W 550 mm / H 2072 mm



ACCTAMDHS

Double side panel - flush to body

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

Dimensions

L 1100 mm / H 2072 mm



ACCTAMSP

Single side panel with mirror

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- mirror size 450x1972 mm

Dimensions

W 550 mm / H 2072 mm



ACCTAMSD

Double side panel with mirror

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- mirror size 1000x1972 mm

Dimensions

W 1100 mm / H 2072 mm



ACCTAMXL

Single side panel for lockers with top

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

Dimensions

W 610 mm / H 2092 mm



ACCTAMDXL

Double side panel for lockers with top

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

Dimensions

W 1220 mm / H 2092 mm

**ACCTAML-24V**

Single side panel with LED channel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- LED IP20, color to be chosen among:
(C) 6000 K cold light
(N) 4000 K natural light
(W) 3000 K warm light

Dimensions

W 610 mm / H 2092 mm

**ACCTAMD-24V**

Double side panel with LED channel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- LED IP20, color to be chosen among:
(C) 6000 K cold light
(N) 4000 K natural light
(W) 3000 K warm light

Dimensions

W 1220 mm / H 2092 mm

**SPACE1**

Single end side panel in laminate, rounded above and below

Dimensions

W 550 mm / D 118 mm / H 2070 mm

**SPACE2**

Rounded panel for internal corner in laminate

Dimensions

W 118 (+112) mm / D 118 (+112) mm / H 2070 mm

**SPACE3**

Rounded panel for external corner in laminate

Dimensions

W 550 mm / D 118 mm / H 2070 mm

**ACCVEL20**

Upper veil for locker, up to 200 mm H

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

**ACCVEL50**

Upper veil for locker, from 200 to 500 mm H

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

**ADELED-24V****Adhesive LED to put under the locker**

- LED IP20, color to be chosen among:
(C) 6000 K cold light
(N) 4000 K natural light
(W) 3000 K warm light

**ACCTOS****Single locker top**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
Projection 60 mm

**ACCTOP****Double locker top**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
Projection 60 mm

**ACCTSL-24V****Single locker top with integrated LED channel**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- LED IP20, color to be chosen among:
(C) 6000 K cold light
(N) 4000 K natural light
(W) 3000 K warm light
Projection 60 mm

**ACCTPL-24V****Double locker top with integrated LED channel**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- LED IP20, color to be chosen among:
(C) 6000 K cold light
(N) 4000 K natural light
(W) 3000 K warm light
Projection 60 mm

**ACCZARSG**

Skirting board in ABS for single locker, satin aluminum finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARDG**

Skirting board in ABS for double locker, satin aluminum finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARSB**

Skirting board in ABS for single locker, white finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARDB**

Skirting board in ABS for double locker, white finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARSN**

Skirting board in ABS for single locker, black finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

**ACCZARDN**

Skirting board in ABS for double locker, black finish

- Adjustable feet 100 mm high
- Complete with mounting accessories



Finishes

Wood



K4410AW
NATIVE OAK LIGHT



S073
ST JAMES PARK SHERWOOD



LK48
NOCE LEUCA MATRIX



K5413RO
QUERCIA ENDGRAIN COGNAC



A892
MURANO



4043
NOCE ADIGE

Concrete



44374DP
CEMENTO GRIGIO OPALE



44407DP
CEMENTO PLATINO



44405DP
CEMENTO GRIGIO ARDESIA



Black and White



MILLENNIUM WHITE



MILLENNIUM BLACK

Fabric



FA44
KAKI PENELOPE



FA46
GUERRILLA PENELOPE



FA33
MAYA BRONZE PENELOPE

Metal



44408DP
RUGGINO RAME BRONZO



0794
PATINA BRONZE



U005
URBAN IRON



Stone




K5580DP
CHEPE



K4892
PIETRA GREY

Solid Color



WHITE WAX



6577ST
CASHMERE



2134PE
ZINC YELLOW



25717NM
EARTH



U321
CHINA RED



26299BS
COBALT GREY



D143PS30
GREY



20244NM
PETROLEUM



25718NM
BLUE MOROCCO



MATT BLACK WAX

Structure lockers



6577ST
CASHMERE



D143PS30
GREY

follow us



**fit
interiors**

**furniture for gyms,
health and golf clubs,
spa&wellness, hotel,
medical and corporate**

visit www.fitinteriors.com